#### Annual Flash Report (unaudited) Fiscal Year ended March 31, 2018

# **Supplemental Information**

# **Status of Development Pipeline**

as of April 26, 2018

# I. Main Status of Development Pipelines (Oncology)

# 1. Development Status in Japan

## < Filed>

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	In-house*) / In-license
Opdivo Intravenous Infusion	Additional indication	Malignant pleural mesothelioma	Injection	In-house (Co-development with Bristol-Myers Squibb)
Yervoy Injection	Additional indication	Renal cell carcinoma	Injection	In-license (Co-development with Bristol-Myers Squibb)
ONO-7702 <sup>*1</sup> / Encorafenib	New chemical entities	Melanoma / BRAF inhibitor	Capsule	In-license (Array Biopharma Inc.)
ONO-7703 *1 / Binimetinib	New chemical entities	Melanoma / MEK inhibitor	Tablet	In-license (Array Biopharma Inc.)
ONO-5371 *2 / Metyrosine	New chemical entities	Pheochromocytoma / Tyrosine hydroxylase inhibitor	Capsule	In-license (Valeant Pharmaceuticals North America LLC.)

Changes from Third Quarter Flash Report for the Fiscal Year ended March 2018

\*1: A manufacturing and marketing approval application for Encorafenib (ONO-7702), a BRAF inhibitor, and Binimetinib (ONO-7703), a MEK inhibitor, were filed in Japan for the treatment of BRAF-mutant unresectable melanoma.

\*2: A manufacturing and marketing approval application for Metyrosine (ONO-5371), a tyrosine hydroxylase inhibitor, was filed in Japan for the improvement of excess secretion of pheochromocytoma catecholamines and its accompanying symptoms.

Note: "In-house" compounds include a compound generated from collaborative research.

In the case of clinical development of the anticancer compound in the same indication, the most advanced clinical phase is described.

#### < Clinical Trial Stage >

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	In-house <sup>*)</sup> / In-license
	Additional indication	Esophageal cancer	Injection	III	In-house (Co-development with Bristol-Myers Squibb)
Opdivo Intravenous Infusion	Additional indication	Gastro-esophageal junction cancer and esophageal cancer	Injection	III	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Small cell lung cancer	Injection	III	In-house (Co-development with Bristol-Myers Squibb)

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	In-house <sup>*)</sup> / In-license
	Additional indication	Hepatocellular carcinoma	Injection	III	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Glioblastoma	Injection	III	In-house (Co-development with Bristol-Myers Squibb)
Opdivo Intravenous Infusion	Additional indication	Urothelial cancer	Injection	III	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Ovarian cancer	Injection	III	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Non-small cell lung cancer	Injection	III	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Small cell lung cancer	Injection	III	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Head and neck cancer	Injection	III	In-license (Co-development with Bristol-Myers Squibb)
Yervoy Injection	Additional indication	Gastric cancer	Injection	III	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Malignant pleural mesothelioma	Injection	III	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Esophageal cancer	Injection	III	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Urothelial cancer	Injection	III	In-license (Co-development with Bristol-Myers Squibb)
Kyprolis for Intravenous Infusion	Change in dosage and administration	Multiple myeloma / Proteasome inhibitor	Injection	III	In-license (Amgen Inc.)
ONO-7643 / Anamorelin	New chemical entities	Cancer anorexia / cachexia / Ghrelin mimetic	Tablet	III	In-license (Helsinn Healthcare, S.A.)
ONO-7702 / Encorafenib	New chemical entities	Colon cancer <sup>*3</sup> / BRAF inhibitor	Capsule	III	In-license (Array Biopharma Inc.)
ONO-7703 / Binimetinib	New chemical entities	Colon cancer *3 / MEK inhibitor	Tablet	III	In-license (Array Biopharma Inc.)
ONO-7701 (BMS-986205)	New chemical entities	Melanoma / IDO1 inhibitor	Capsule	III	In-license (Co-development with Bristol-Myers Squibb)
Opdivo Intravenous Infusion	Additional indication	Colon cancer *4	Injection	II / III	In-house (Co-development with Bristol-Myers Squibb)

_					
Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	In-house <sup>*)</sup> / In-license
	Additional indication	Solid tumor (Cervix carcinoma, Uterine body cancer, Soft tissue sarcoma)	Injection	II	In-house (Co-development with Bristol-Myers Squibb)
Opdivo	Additional indication	Central nervous system lymphoma, Primary testicular lymphoma	Injection	Π	In-house (Co-development with Bristol-Myers Squibb)
Intravenous Infusion	Additional indication	Multiple myeloma	Injection	Ш	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Virus positive / negative solid carcinoma	Injection	I / II	In-house (Co-development with Bristol-Myers Squibb)
Yervoy Injection	Additional indication	Virus positive / negative solid carcinoma	Injection	I / II	In-license (Co-development with Bristol-Myers Squibb)
ONO-4686 (BMS-986207)	New chemical entities	Solid tumor / Anti-TIGIT antibody	Injection	I / II	In-license (Co-development with Bristol-Myers Squibb)
ONO-4059 / Tirabrutinib	New chemical entities	Central nervous system lymphoma / Bruton's tyrosine kinase (Btk) inhibitor	Tablet	I / II	In-house
ONO-4482 (BMS-986016) / Relatlimab	New chemical entities	Melanoma / Anti-LAG-3 antibody	Injection	I / II	In-license (Co-development with Bristol-Myers Squibb)
ONO-7807 <sup>*5</sup> (BMS-986258)	New chemical entities	Solid tumor / Anti-TIM-3 antibody	Injection	I / II	In-license (Co-development with Bristol-Myers Squibb)
Opdivo Intravenous Infusion	Additional indication	Biliary tract cancer	Injection	Ι	In-house (Co-development with Bristol-Myers Squibb)
ONO-4481 (BMS-663513) / Urelumab	New chemical entities	Solid tumor / Anti-CD137 antibody	Injection	Ι	In-license (Co-development with Bristol-Myers Squibb)
ONO-4687 (BMS-986227) / Cabiralizumab	New chemical entities	Solid tumor and hematologic cancer / Anti-CSF-1R antibody	Injection	Ι	In-license (Co-development with Bristol-Myers Squibb)
ONO-4483 (BMS-986015) / Lirilumab	New chemical entities	Solid tumor / Anti-KIR antibody	Injection	Ι	In-license (Co-development with Bristol-Myers Squibb)
ONO-4578	New chemical entities	Solid tumor / PG receptor (EP4) antagonist	Tablet	Ι	In-house

Changes from Third Quarter Flash Report for the Fiscal Year ended March 2018

\*3: Phase III of ONO-7702 (BRAF inhibitor) and ONO-7703 (MEK inhibitor) was initiated for the treatment of colon cancer.

\*4: Phase II / III of Opdivo was initiated for the treatment of colon cancer.

\*5: Phase I / II of ONO-7807 / BMS-986258 (Anti-TIM-3 antibody) was initiated for the treatment of solid tumor.

Note: "In-house" compounds include a compound generated from collaborative research.

In the case of clinical development of the anticancer compound in the same indication, the most advanced clinical phase is described.

#### 2. Development Status in S. Korea and Taiwan

#### < Approved>

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Area	In-house*) / In-license
Opdivo Intravenous Infusion	Additional indication	Hepatocellular carcinoma *6	Injection	Taiwan	In-house (Co-development with Bristol-Myers Squibb)
Opdivo Intravenous Infusion	Additional indication	Gastric cancer *7	Injection	South Korea	In-house (Co-development with Bristol-Myers Squibb)

Changes from Third Quarter Flash Report for the Fiscal Year ended March 2018

\*6: Approval for the partial change in approved items of the importing and marketing approval for Opdivo was obtained in Taiwan for the treatment of patients with hepatocellular carcinoma who have been previously treated with sorafenib.

\*7: Approval for the partial change in approved items of the importing and marketing approval for Opdivo was obtained in South Korea for the treatment of advanced or recurrent gastric or gastroesophageal junction adenocarcinoma after two or more prior chemotherapy regimens.

**Note**: "In-house" compounds include a compound generated from collaborative research. In the case of clinical development of the anticancer compound in the same indication, the most advanced clinical phase is described.

#### < Clinical Trial Stage >

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	Area	In-house <sup>*)</sup> / In-license
	Additional indication	Esophageal cancer	Injection	III	South Korea, Taiwan	In-house (Co-development with Bristol-Myers Squibb)
Opdivo	Additional indication	Gastro-esophageal junction cancer and esophageal cancer	Injection	III	South Korea, Taiwan	In-house (Co-development with Bristol-Myers Squibb)
Intravenous Infusion	Additional indication	Small cell lung cancer	Injection	III	South Korea, Taiwan	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Hepatocellular carcinoma	Injection	III	South Korea	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Renal cell carcinoma	Injection	III	South Korea, Taiwan	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Non-small cell lung cancer	Injection	III	South Korea, Taiwan	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Small cell lung cancer	Injection	III	South Korea, Taiwan	In-license (Co-development with Bristol-Myers Squibb)
Yervoy Injection	Additional indication	Head and neck cancer	Injection	III	South Korea, Taiwan	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Gastric cancer	Injection	III	South Korea, Taiwan	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Esophageal cancer	Injection	III	South Korea, Taiwan	In-license (Co-development with Bristol-Myers Squibb)
	Additional indication	Urothelial cancer	Injection	III	South Korea, Taiwan	In-license (Co-development with Bristol-Myers Squibb)

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	Area	In-house <sup>*)</sup> / In-license
ONO-7702	New chemical entities	Colon cancer / BRAF inhibitor	Capsule	III	South Korea	In-license (Array Biopharma Inc.)
/ Encorafenib	New chemical entities	Melanoma / BRAF inhibitor	Capsule	III	South Korea	In-license (Array Biopharma Inc.)
ONO-7703	New chemical entities	Colon cancer / MEK inhibitor	Tablet	III	South Korea	In-license (Array Biopharma Inc.)
/ Binimetinib	New chemical entities	Melanoma / MEK inhibitor	Tablet	III	South Korea	In-license (Array Biopharma Inc.)
Opdivo Intravenous Infusion	Additional indication	Virus positive / negative solid carcinoma	Injection	I / II	South Korea, Taiwan	In-house (Co-development with Bristol-Myers Squibb)
Yervoy Injection	Additional indication	Virus positive / negative solid carcinoma	Injection	I / II	South Korea, Taiwan	In-license (Co-development with Bristol-Myers Squibb)

Note: "In-house" compounds include a compound generated from collaborative research.

In the case of clinical development of the anticancer compound in the same indication, the most advanced clinical phase is described.

#### 3. Development Status in Europe and the United States

< Filed>					
Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Area	In-house*) / In-license
Opdivo Intravenous Infusion	Additional indication	Small cell lung cancer *8	Injection	USA	In-house (Co-development with Bristol-Myers Squibb)

Changes from Third Quarter Flash Report for the Fiscal Year ended March 2018

\*8: Application for the partial change in approved items of the manufacturing and marketing approval for Opdivo was accepted for priority review in US for the treatment of patients with small cell lung cancer (SCLC) whose disease has progressed after two or more prior lines of therapy.

Note: "In-house" compounds include a compound generated from collaborative research.

In the case of clinical development of the anticancer compound in the same indication, the most advanced clinical phase is described.

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	Area	In-house <sup>*)</sup> / In-license		
	Additional indication	Glioblastoma	Injection	III	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Small cell lung cancer	Injection	III	Europe	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Hepatocellular carcinoma	Injection	III	Europe	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Esophageal cancer	Injection	III	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Multiple myeloma	Injection	III	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		
Opdivo	Additional indication	Gastro-esophageal junction cancer and esophageal cancer	Injection	III	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		
Intravenous Infusion	Additional indication	Gastric cancer	Injection	III	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Malignant pleural mesothelioma	Injection	III	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Colon cancer *9	Injection	II / III	Europe	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Diffuse large B cell lymphoma	Injection	II	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Follicular lymphoma	Injection	II	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		
	Additional indication	Central Nervous System Lymphoma, Primary Testicular Lymphoma	Injection	Π	Europe USA	In-house (Co-development with Bristol-Myers Squibb)		

## < Clinical Trial Stage >

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	Area	In-house <sup>*)</sup> / In-license
Opdivo Intravenous Infusion	Additional indication	Prostate cancer	Injection	II	Europe USA	In-house (Co-development with Bristol-Myers Squibb)
ONO-4059 / Tirabrutinib	New chemical entities	B cell lymphoma / Bruton's tyrosine kinase (Btk) inhibitor	Tablet	ΙΙ	Europe	In-house (Out-license to Gilead Sciences, Inc.)
ONO-7579	New chemical entities	Solid tumor / Tropomyosin receptor kinase (Trk) inhibitor	Tablet	I / II	Europe USA	In-house
	Additional indication	Solid tumors (Triple negative breast cancer, Gastric cancer, Pancreatic cancer, Small cell lung cancer, Urothelial cancer, Ovarian cancer)	Injection	I / II	Europe USA	In-house (Co-development with Bristol-Myers Squibb)
Opdivo Intravenous Infusion	Additional indication	Virus positive/negative solid carcinoma	Injection	I / II	Europe USA	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Hematologic cancer (T-cell lymphoma, Multiple myeloma, Chronic leukemia, etc.)	Injection	Ι	Europe USA	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Chronic myeloid leukemia	Injection	Ι	Europe USA	In-house (Co-development with Bristol-Myers Squibb)
ONO-4059 / Tirabrutinib	New chemical entities	B cell lymphoma / Bruton's tyrosine kinase (Btk) inhibitor	Tablet	Ι	USA	In-house (Out-license to Gilead Sciences, Inc.)
ONO-7475	New chemical entities	Acute leukemia / Axl / Mer inhibitor	Tablet	Ι	USA	In-house

Changes from Third Quarter Flash Report for the Fiscal Year ended March 2018

\*9: Phase II / III of Opdivo was initiated in Europe for the treatment of colon cancer.

Note: "In-house" compounds include a compound generated from collaborative research.

In the case of clinical development of the anticancer compound in the same indication, the most advanced clinical phase is described.

# II. Main Status of Development Pipelines (Non-Oncology)

## 1. Development Status in Japan

#### < Approved >

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form In-house <sup>*)</sup> / In-license	
Orencia IV *10	Additional indication	Juvenile Idiopathic Arthritis / T-cell activation inhibitor	Injection	In-license (Bristol-Myers Squibb)

Changes from Third Quarter Flash Report for the Fiscal Year ended March 2018

\*10: Approval for the partial change in approved items of the manufacturing and marketing approval for Orencia IV was obtained in Japan for the treatment of active polyarticular juvenile idiopathic arthritis.

Note: "In-house" compounds include a compound generated from collaborative research.

#### < Clinical Trial Stage >

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	In-house <sup>*)</sup> / In-license
Orencia IV	Additional indication	Lupus nephritis / T-cell activation inhibitor	Injection	III	In-license (Bristol-Myers Squibb)
	Additional indication	Untreated rheumatoid arthritis / T-cell activation inhibitor	Injection	III	In-license (Bristol-Myers Squibb)
Orencia SC	Additional indication	Primary Sjögren syndrome / T-cell activation inhibitor	Injection	III	In-license (Bristol-Myers Squibb)
	Additional indication	Polymyositis / Dermatomyositis / T-cell activation inhibitor	Injection	III	In-license (Bristol-Myers Squibb)
ONO-1162 / Ivabradine	New chemical entities	Chronic heart failure / If channel inhibitor	Tablet	III	In-license (Les Laboratoires Servier)
ONO-5704 / SI-613	New chemical entities	Osteoarthritis / Hyaluronic acid-NSAID	Injection	III	In-license (Seikagaku Corporation)
Onoact	Additional indication for pediatric use	Tachyarrhythmia in low cardiac function / Short acting beta 1 blocker	Injection	II / III	In-house
for Intravenous Infusion 50 mg / 150 mg (ONO-1101)	Additional indication	Ventricular arrhythmia / Short acting beta 1 blocker	Injection	II / III	In-house
	Additional indication	Tachyarrhythmia upon sepsis / Short acting beta 1 blocker	Injection	II / III	In-house
ONO-2370 / Opicapone	New chemical entities	Parkinson's disease / Long acting COMT inhibitor	Tablet	Π	In-license (Bial)
ONO-5704 / SI-613	New chemical entities	Enthesopathy / Hyaluronic acid-NSAID	Injection	Π	In-license (Seikagaku Corporation)
Opdivo Intravenous Infusion	Additional indication	Sepsis	Injection	I / II	In-house (Co-development with Bristol-Myers Squibb)
ONO-4059 / Tirabrutinib	New chemical entities	Autoimmune disease / Bruton's tyrosine kinase (Btk) inhibitor	Tablet	Ι	In-house

Note: "In-house" compounds include a compound generated from collaborative research.

# 2. Development Status in Overseas

# < Clinical Trial Stage >

Product Name / Development Code / Generic Name	Classification	Target indication / Pharmacological Action	Dosage form	Phase	Area	In-house <sup>*)</sup> / In-license
ONO-4059 / Tirabrutinib	New chemical entities	Sjögren syndrome / Bruton's tyrosine kinase (Btk) inhibitor	Tablet	II	Europe USA	In-house (Out-license to Gilead Sciences, Inc.)
Opdivo Intravenous Infusion	Additional indication	Hepatitis C	Injection	Ι	Europe USA	In-house (Co-development with Bristol-Myers Squibb)
	Additional indication	Sepsis	Injection	Ι	USA	In-house (Co-development with Bristol-Myers Squibb)
ONO-8055	New chemical entities	Underactive bladder / PG receptor (EP2 / EP3) agonist	Tablet	Ι	Europe	In-house

Note: "In-house" compounds include a compound generated from collaborative research.